

ABBYY Vantage

Postman collection of Hidden APIs in Abbyy Vantage

Developed By: Rahul Kapoor

Table of Contents

Table of Contents	2
About the ABBYY Vantage Postman Collection	3
Setting up Postman collection	3
Importing the package	3
Using the API	3
ABBYY Vantage Public API Client	3
Setup the Postman collection variables.....	4

About the ABBYY Vantage Postman Collection

ABBYY Vantage is an intelligence document processing application that leverages artificial intelligence and machine learning to extract information from documents.

ABBYY Vantage provides an API that allows developers to interact with the platform programmatically. This enables the integration of ABBYY Vantage's capabilities with other systems and applications.

Setting up Postman collection


To set up the postman collection, perform the following steps:

Importing the package

The postman collection package includes all the Vantage Hidden APIs:

To import the collection, do the following:

1. Download the ABBYY Vantage Postman collection package (.json file).
2. In Postman click Import and select the downloaded file.
3. Once the collection is imported, the ABBYY Vantage Hidden API collection would be available in Postman.



Using the API


To use the Vantage Hidden APIs, you need to set up an API client in your Vantage tenant.

ABBYY Vantage Public API Client

Create Public API Client in ABBYY Vantage by following the below steps:

1. In your ABBYY Vantage tenant navigate to Admin and configuration.
2. In Configuration navigate to Public API Client and create a new client.
3. Save the client id and client secret generated. These values will be used in the postman collection.

4. In Public API Client provide the roles as “Skill User” and allow “client credentials” flow in OAuth 2.0 Flows Settings.



Setup the Postman collection variables

As per the configuration, setup the postman collection variables:

ABBYY Vantage Hidden API

Overview Authorization Scripts Variables Runs

These variables are specific to this collection and its requests. [Learn more about collection variables](#)

Filter variables

	Variable	Initial value	Current value
☒	baseUrl	https://vantage-us.abbey.com	https://vantage-us.abbey.com
☒	email		
☒	tenantId		
☒	clientId		
☒	clientSecret		
☒	password		
	Add new variable		